Ruby - Bug #10653

do-end block in ternary operator is syntax error

12/26/2014 03:01 AM - yancya (Shinta Koyanagi)

Status: Closed

Priority: Normal

Assignee: matz (Yukihiro Matsumoto)

Target version:

ruby -v: ruby 2.2.0p0 (2014-12-25 revision

49005) [x86_64-darwin14]

Backport:

2.0.0: DONTNEED, 2.1: DONTNEED,

2.2: DONE

Description

• For example

ruby -v -e 'true ? 1.tap do |n| p n end : 0'

• Result by 2.1.5

ruby 2.1.5p273 (2014-11-13 revision 48405) [$x86_64$ -darwin14.0] 1

• Result by 2.2.0

```
ruby 2.2.0p0 (2014-12-25 revision 49005) [x86_64-darwin14]
-e:1: syntax error, unexpected keyword_do_cond, expecting ':'
true ? 1.tap do |n| p n end : 0
-e:1: syntax error, unexpected tIDENTIFIER, expecting keyword_do or '{' or '(' true ? 1.tap do |n| p n end : 0
```

Related issues:

Related to Ruby - Feature #4276: Allow use of quotes in symbol syntactic suga...

Closed

01/13/2011

Related to Ruby - Bug #11456: Hash [][][][][] rescue [][][][][] SyntaxError [][][]

Closed

Associated revisions

Revision 94b1db5d673295b4276e809de4937a9536711540 - 08/17/2015 11:56 AM - nobu (Nobuyoshi Nakada)

parse.y: fix block after conditional

 parse.y: fix syntax error at do-block after a conditional operator. separate label-allowed and after-a-label states from others as bit flags. [ruby-dev:48790] [Bug #10653]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@51617 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 94b1db5d - 08/17/2015 11:56 AM - nobu (Nobuyoshi Nakada)

parse.y: fix block after conditional

 parse.y: fix syntax error at do-block after a conditional operator. separate label-allowed and after-a-label states from others as bit flags. [ruby-dev:48790] [Bug #10653]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@51617 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision df51beda2f3237580976f241842c320b7121d72c - 10/05/2015 04:47 PM - nagachika (Tomoyuki Chikanaga)

merge revision(s) 50409,51616,51617,51624: [Backport #10653] [Backport #11456]

```
parse.y: %-string cannot be a label

* parse.y (parser_yylex): %-string cannot be a label even if
```

terminated by single/double quotes.

11/14/2025

* parse.y: fix syntax error at do-block after a conditional operator. separate label-allowed and after-a-label states from others as bit flags. [ruby-dev:48790] [Bug #10653]

```
* parse.y (IS_BEG): include labeled argument state, which was EXPR_LABELARG. [ruby-dev:49221] [Bug #11456]
```

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby_2_2@52046 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision df51beda - 10/05/2015 04:47 PM - nagachika (Tomoyuki Chikanaga)

merge revision(s) 50409,51616,51617,51624: [Backport #10653] [Backport #11456]

```
parse.y: %-string cannot be a label

* parse.y (parser_yylex): %-string cannot be a label even if
```

terminated by single/double quotes.

* parse.y: fix syntax error at do-block after a conditional operator. separate label-allowed and after-a-label states from others as bit flags. [ruby-dev:48790] [Bug #10653]

```
* parse.y (IS_BEG): include labeled argument state, which was EXPR_LABELARG. [ruby-dev:49221] [Bug #11456]
```

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby_2_2@52046 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

History

#1 - 12/26/2014 08:01 AM - nobu (Nobuyoshi Nakada)

- Related to Feature #4276: Allow use of quotes in symbol syntactic sugar for hashes added

#2 - 08/17/2015 11:32 AM - nobu (Nobuyoshi Nakada)

- Backport changed from 2.0.0: UNKNOWN, 2.1: UNKNOWN, 2.2: UNKNOWN to 2.0.0: DONTNEED, 2.1: DONTNEED, 2.2: REQUIRED

#3 - 08/17/2015 11:57 AM - nobu (Nobuyoshi Nakada)

Status changed from Open to Closed

Applied in changeset r51617.

parse.y: fix block after conditional

 parse.y: fix syntax error at do-block after a conditional operator. separate label-allowed and after-a-label states from others as bit flags. [ruby-dev:48790] [Bug #10653]

#4 - 08/18/2015 08:15 AM - nobu (Nobuyoshi Nakada)

- Related to Bug #11456: Hash [] [] [] rescue [] [] [] SyntaxError [] [] added

#5 - 09/29/2015 06:22 PM - nagachika (Tomoyuki Chikanaga)

After backporting r50409 and r51617, TestSyntax#test_block_after_cond failed.

#6 - 09/29/2015 06:32 PM - nagachika (Tomoyuki Chikanaga)

r51616 should be backported too?

#7 - 10/05/2015 05:00 PM - nagachika (Tomoyuki Chikanaga)

- Backport changed from 2.0.0: DONTNEED, 2.1: DONTNEED, 2.2: REQUIRED to 2.0.0: DONTNEED, 2.1: DONTNEED, 2.2: DONE

r50409, r51616, r51617 and r51624 were backported into ruby_2_2 branch at r52046. With r50409 a minor incompatibility is introduced ({ %w"key": 0 } cause SyntaxError).

I'm not confident the incompatibility is essential part of this fixes, but the accurate surgery is required to eliminate the incompatibility. I gave up.

#8 - 01/09/2016 11:26 AM - whitequark (whitequark *)

I was implementing this in my Ruby parser and I found a much simpler solution than what you've implemented here: https://github.com/whitequark/parser/commit/113442eff1f9c6f7e7205ec0dac8cb858b3b0fc7

11/14/2025 2/3

In short, instead of explicitly enumerating all contexts where a label is valid, I only disallow quoted label at EXPR_VALUE using an additional flag. It works just as well. It also would not exhibit the bug with %w during backport.

Might I suggest a simplification to parse.y?

#9 - 01/09/2016 12:38 PM - nobu (Nobuyoshi Nakada)

Currently it's a bit flag in parse.y too.

11/14/2025 3/3