

Ruby - Bug #825

Gem::Installer#generate_windows_script

12/05/2008 02:13 PM - okkez (okkez _)

Status:	Closed	Backport:
Priority:	Normal	
Assignee:	drbrain (Eric Hodel)	
Target version:	2.0.0	
ruby -v:	ruby 1.9.2dev (2009-11-09 trunk 25701) [x86_64-freebsd8.0]	

Description

```
=begin
#####
Gem::Installer#generate_bin_script, Gem::Installer#generate_bin_symlink
#####
```

Index: lib/rubygems/installer.rb

```
--- lib/rubygems/installer.rb (revision 20439)
+++ lib/rubygems/installer.rb (working copy)
@@ -292,7 +292,7 @@
##
# Creates windows .bat files for easy running of commands

• def generate_windows_script(bindir, filename)

• def generate_windows_script(filename, bindir)
  if Gem.win_platform? then
    script_name = filename + ".bat"
    script_path = File.join bindir, File.basename(script_name)
    @@ -351,7 +351,7 @@

    say bin_script_path if Gem.configuration.really_verbose

• 
• 

#else

FileUtils.rm_f bin_script_path

FileUtils.cp exec_path, bin_script_path,

=end
```

History

#1 - 12/05/2008 09:17 PM - ko1 (Koichi Sasada)
- Assignee set to drbrain (Eric Hodel)

#2 - 12/11/2008 11:03 AM - yugui (Yuki Sonoda)
- Target version set to 2.0.0

#3 - 11/11/2009 11:22 PM - naruse (Yui NARUSE)
- Status changed from Open to Assigned

- ruby -v set to ruby 1.9.2dev (2009-11-09 trunk 25701) [x86_64-freebsd8.0]

He says:

Gem::Installer#generate_windows_script has different argument's order from Gem::Installer#generate_bin_script,
Gem::Installer#generate_bin_symlink.

So generate_windows_script should change its argument order.

#4 - 12/03/2009 12:56 AM - naruse (Yui NARUSE)

- *Priority changed from Normal to 6*

#5 - 03/26/2010 07:30 AM - drbrain (Eric Hodel)

I have applied this patch to RubyGems trunk.

#6 - 04/22/2010 05:31 PM - drbrain (Eric Hodel)

- *Status changed from Assigned to Closed*

Applied r27441