

Ruby - Bug #12199

About msys2 path conversion measures in make test-all

03/20/2016 06:54 AM - moritat (Tsuyoshi Morita)

Status:	Closed	
Priority:	Normal	
Assignee:		
Target version:		
ruby -v:	ruby 2.4.0dev (2016-03-16) [i386-mingw32]	Backport: 2.1: DONTNEED, 2.2: DONTNEED, 2.3: DONE

Description

ruby 2.3 make test-all

Windows msys, msys2 build make test-all

--name=!/memory_leak/ → --name=!c:/msys64/memory_leak/path

trunk

Running tests:

Finished tests in 7.813343s, 0.0000 tests/s, 0.0000 assertions/s.
0 tests, 0 assertions, 0 failures, 0 errors, 0 skips

2

1."/

ex:
--name=/pattern/ → --name=pattern
--name=!/pattern/ → --name-not=pattern
-x /pattern/ → -x pattern

2.

1 NG msys2
msys
RubyInstaller build msys2 msys

uncommon.mk

ex:
--name=/pattern/ → --name=/pattern/ (
--name=!/pattern/ → --name=!/pattern/ (
-x /pattern/ → --exclude=/pattern/

:

msys2 MSYS2_ARG_CONV_EXCL="pattern1;pattern2"

make test-all

-x /pattern/ MSYS2_ARG_CONV_EXCL="/pattern/"

--exclude=/pattern/ MSYS2_ARG_CONV_EXCL="--exclude="

Revision ffcad81c - 04/18/2016 04:57 AM - naruse (Yui NARUSE)

merge revision(s) 54086,54211,54233: [Backport #12199]

```
* test/lib/test/unit.rb (Options#non_options): make regexp name
options prefixed with "!" negative filters.

* common.mk (TEST_EXCLUDES): use negative filter to exclude memory
leak tests. -x option excludes test files, not test methods.

* common.mk (TEST_EXCLUDES, EXCLUDE_TESTFRAMEWORK): use full spell
long option.

* cygwin/GNUMakefile.in (MSYS2_ARG_CONV_EXCL): suppress path name
conversions by msys2. [ruby-dev:49525] [Bug #12199]

* cygwin/GNUMakefile.in (MSYS2_ARG_CONV_EXCL_PARAM):
* add missing parentheses and remove double quotes.
* rename to get rid of recursive references.
* as --excludes-dir option is for a path name, its argument
should be converted.
[ruby-dev:49526] [Bug #12199]
```

History

#1 - 03/21/2016 11:18 AM - nobu (Nobuyoshi Nakada)

- Status changed from Open to Closed

Applied in changeset r54211.

suppress msys2 pathname conversion

- common.mk (TEST_EXCLUDES, EXCLUDE_TESTFRAMEWORK): use full spell long option.
- cygwin/GNUMakefile.in (MSYS2_ARG_CONV_EXCL): suppress path name conversions by msys2. [\[ruby-dev:49525\]](#) [Bug #12199]

#2 - 03/22/2016 03:54 PM - moritat (Tsuyoshi Morita)

- File GNUMakefile.in.patch added
- File Makefile_test added

```
#####

#####
#####

00103#####4#####
MSYS2 installer#####RubyInstaller#####msys2#####

1.$() #####"$MSYS2_ARG_CONV_EXCL"#####SYS2_ARG_CONV_EXCL"#####
2.1.#####_PARAM #####
3.#####NG#####
4.--excludes-dir DIRECTORY#####

#####
```

#3 - 03/23/2016 01:26 AM - shyouhei (Shyouhei Urabe)

- Status changed from Closed to Open

#4 - 03/23/2016 02:38 AM - nobu (Nobuyoshi Nakada)

- Status changed from Open to Closed

Applied in changeset r54233.

GNUMakefile.in: fix MSYS2_ARG_CONV_EXCL

- cygwin/GNUMakefile.in (MSYS2_ARG_CONV_EXCL_PARAM):
 - add missing parentheses and remove double quotes.
 - rename to get rid of recursive references.
 - as --excludes-dir option is for a path name, its argument should be converted.[\[ruby-dev:49526\]](#) [\[Bug #12199\]](#)

#5 - 03/24/2016 07:58 AM - usa (Usaku NAKAMURA)

- Backport changed from 2.1: UNKNOWN, 2.2: UNKNOWN, 2.3: UNKNOWN to 2.1: DONTNEED, 2.2: DONTNEED, 2.3: REQUIRED

#6 - 04/18/2016 04:57 AM - naruse (Yui NARUSE)

- Backport changed from 2.1: DONTNEED, 2.2: DONTNEED, 2.3: REQUIRED to 2.1: DONTNEED, 2.2: DONTNEED, 2.3: DONE

ruby_2_3 r54627 merged revision(s) 54086,54211,54233.

Files

GNUMakefile.in.patch	848 Bytes	03/22/2016	moritat (Tsuyoshi Morita)
Makefile_test	186 Bytes	03/22/2016	moritat (Tsuyoshi Morita)