

Ruby - Bug #4611

[BUG] Segementation fault reported

04/26/2011 02:04 AM - deryldoucette (Deryl Doucette)

| | | | |
|------------------------|-------------------------|------------------|--|
| Status: | Closed | | |
| Priority: | Normal | | |
| Assignee: | nahi (Hiroshi Nakamura) | | |
| Target version: | | | |
| ruby -v: | - | Backport: | 2.3: UNKNOWN, 2.4: UNKNOWN, 2.5: UNKNOWN |

Description

I currently have an application using devise and rpx_now gem. When I attempt any login using devise+rpx I get segmentation fault errors. The reported error is as follows: Users/pgpkeys/.rvm/rubies/ruby-1.9.2-p180/lib/ruby/1.9.1/net/http.rb:678: [BUG] Segmentation fault

This is right after rpx comes BACK from verification using any of the selected accounts for login. Here is the backtrace that ruby reports.

Started POST "/users/sign_in?authenticity_token=EPIyulCZi8j8xWbEFNiAi4h6YFMS5I0sPdR55Y9OM30%3d" for 127.0.0.1 at 2011-04-25 12:54:57 -0400

Processing by Devise::SessionsController#create as HTML

Parameters: {"token"=>"531c5a58efe2267155dad5655b10d8760cb588f3",

"authenticity_token"=>"EPIyulCZi8j8xWbEFNiAi4h6YFMS5I0sPdR55Y9OM30="}

/Users/pgpkeys/.rvm/rubies/ruby-1.9.2-p180/lib/ruby/1.9.1/net/http.rb:678: [BUG] Segmentation fault

ruby 1.9.2p180 (2011-02-18 revision 30909) [x86_64-darwin10.7.3]

-- control frame -----

c:0089 p:---- s:0481 b:0481 l:000480 d:000480 CFUNC :connect

c:0088 p:0011 s:0478 b:0478 l:0001d0 d:000477 BLOCK

/Users/pgpkeys/.rvm/rubies/ruby-1.9.2-p180/lib/ruby/1.9.1/net/http.rb:678

c:0087 p:0031 s:0476 b:0476 l:000475 d:000475 METHOD

/Users/pgpkeys/.rvm/rubies/ruby-1.9.2-p180/lib/ruby/1.9.1/timeout.rb:44

c:0086 p:0026 s:0464 b:0464 l:000463 d:000463 METHOD

/Users/pgpkeys/.rvm/rubies/ruby-1.9.2-p180/lib/ruby/1.9.1/timeout.rb:87

c:0085 p:0444 s:0458 b:0458 l:0001d0 d:0001d0 METHOD

/Users/pgpkeys/.rvm/rubies/ruby-1.9.2-p180/lib/ruby/1.9.1/net/http.rb:678

c:0084 p:0011 s:0450 b:0450 l:000449 d:000449 METHOD

/Users/pgpkeys/.rvm/rubies/ruby-1.9.2-p180/lib/ruby/1.9.1/net/http.rb:637

c:0083 p:0048 s:0447 b:0447 l:000446 d:000446 METHOD

/Users/pgpkeys/.rvm/rubies/ruby-1.9.2-p180/lib/ruby/1.9.1/net/http.rb:626

c:0082 p:0025 s:0444 b:0444 l:000443 d:000443 METHOD

/Users/pgpkeys/.rvm/rubies/ruby-1.9.2-p180/lib/ruby/1.9.1/net/http.rb:1168

c:0081 p:0028 s:0437 b:0437 l:000436 d:000436 METHOD

/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rpx_now-0.6.24/lib/rpx_now/api.rb:34

c:0080 p:0098 s:0432 b:0432 l:000431 d:000431 METHOD

/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rpx_now-0.6.24/lib/rpx_now/api.rb:19

c:0079 p:0037 s:0424 b:0424 l:000423 d:000423 METHOD

/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rpx_now-0.6.24/lib/rpx_now.rb:38

c:0078 p:0047 s:0418 b:0418 l:000417 d:000417 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rpx_now-0.6.24/lib/rpx_now.rb:26

c:0077 p:0111 s:0410 b:0410 l:000409 d:000409 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/devise_rpx_connectable-0.2.2/lib/devise_rpx_connectable/strategy.rb:22

c:0076 p:0018 s:0404 b:0404 l:000403 d:000403 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/warden-1.0.3/lib/warden/strategies/base.rb:53

c:0075 p:0094 s:0401 b:0401 l:000391 d:000400 BLOCK
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/warden-1.0.3/lib/warden/proxy.rb:303

c:0074 p:---- s:0397 b:0397 l:000396 d:000396 FINISH

c:0073 p:---- s:0395 b:0395 l:000394 d:000394 CFUNC :each

c:0072 p:0112 s:0392 b:0392 l:000391 d:000391 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/warden-1.0.3/lib/warden/proxy.rb:298

c:0071 p:0065 s:0385 b:0385 l:000384 d:000384 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/warden-1.0.3/lib/warden/proxy.rb:271

c:0070 p:0013 s:0378 b:0378 l:000377 d:000377 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/warden-1.0.3/lib/warden/proxy.rb:90

c:0069 p:0037 s:0372 b:0372 l:000371 d:000371 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/devise-1.1.7/lib/devise/controllers/helpers.rb:226

c:0068 p:0019 s:0369 b:0367 l:000366 d:000366 METHOD
/Users/pgpkeys/Projects/cca/app/controllers/application_controller.rb:9

c:0067 p:0118 s:0364 b:0364 l:000363 d:000363 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activerecord-3.0.4/lib/active_support/callbacks.rb:446

c:0066 p:0113 s:0358 b:0358 l:000357 d:000357 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activerecord-3.0.4/lib/active_support/callbacks.rb:409

c:0065 p:0024 s:0349 b:0349 l:000348 d:000348 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activerecord-3.0.4/lib/active_support/callbacks.rb:93

c:0064 p:0015 s:0343 b:0343 l:002098 d:002098 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/abstract_controller/callbacks.rb:17

c:0063 p:0012 s:0338 b:0338 l:000319 d:000337 BLOCK
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_controller/metal/instrumentation.rb:30

c:0062 p:0017 s:0334 b:0334 l:000324 d:000333 BLOCK
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activerecord-3.0.4/lib/active_support/notifications.rb:52

c:0061 p:0032 s:0332 b:0332 l:000331 d:000331 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activesupport-3.0.4/lib/active_support/notifications/instrumenter.rb:21

c:0060 p:0036 s:0325 b:0325 l:000324 d:000324 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activesupport-3.0.4/lib/active_support/notifications.rb:52

c:0059 p:0152 s:0320 b:0320 l:000319 d:000319 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_controller/metal/instrumentation.rb:29

c:0058 p:0012 s:0314 b:0314 l:000313 d:000313 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_controller/metal/rescue.rb:17

c:0057 p:0093 s:0309 b:0309 l:000308 d:000308 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/abstract_controller/base.rb:119

c:0056 p:0084 s:0303 b:0303 l:000302 d:000302 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/abstract_controller/rendering.rb:41

c:0055 p:0048 s:0298 b:0298 l:000297 d:000297 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_controller/metal.rb:138

c:0054 p:0086 s:0293 b:0293 l:000292 d:000292 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_controller/metal/rack_delegation.rb:14

c:0053 p:0030 s:0287 b:0287 l:000ae8 d:000286 BLOCK
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_controller/metal.rb:178

c:0052 p:---- s:0284 b:0284 l:000283 d:000283 FINISH

c:0051 p:---- s:0282 b:0282 l:000281 d:000281 CFUNC :call

c:0050 p:0022 s:0278 b:0278 l:000277 d:000277 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dispatch/routing/route_set.rb:62

c:0049 p:0094 s:0272 b:0272 l:000271 d:000271 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dispatch/routing/route_set.rb:27

c:0048 p:0042 s:0266 b:0266 l:000265 d:000265 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dispatch/routing/mapper.rb:35

c:0047 p:0097 s:0261 b:0261 l:000233 d:000260 BLOCK
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rack-mount-0.6.13/lib/rack/mount/route_set.rb:148

c:0046 p:0014 s:0255 b:0255 l:000239 d:000254 BLOCK
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rack-mount-0.6.13/lib/rack/mount/code_generation.rb:93

c:0045 p:0189 s:0250 b:0250 l:000249 d:000249 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rack-mount-0.6.13/lib/rack/mo

unt/code_generation.rb:68
c:0044 p:0198 s:0240 b:0240 l:000239 d:000239 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rack-mount-0.6.13/lib/rack/mo
unt/code_generation.rb:92
c:0043 p:0092 s:0234 b:0234 l:000233 d:000233 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rack-mount-0.6.13/lib/rack/mo
unt/route_set.rb:139
c:0042 p:0025 s:0228 b:0228 l:000227 d:000227 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dis
patch/routing/route_set.rb:492
c:0041 p:0033 s:0224 b:0224 l:000223 d:000223 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/haml-3.0.25/lib/sass/plugin/rac
k.rb:41
c:0040 p:0014 s:0220 b:0220 l:000211 d:000219 BLOCK
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/warden-1.0.3/lib/warden/mana
ger.rb:35
c:0039 p:---- s:0218 b:0218 l:000217 d:000217 FINISH
c:0038 p:---- s:0216 b:0216 l:000215 d:000215 CFUNC :catch
c:0037 p:0086 s:0212 b:0212 l:000211 d:000211 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/warden-1.0.3/lib/warden/mana
ger.rb:34
c:0036 p:0015 s:0207 b:0207 l:000206 d:000206 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dis
patch/middleware/best_standards_support.rb:17
c:0035 p:0093 s:0200 b:0200 l:000199 d:000199 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dis
patch/middleware/head.rb:14
c:0034 p:0155 s:0193 b:0193 l:000192 d:000192 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rack-1.2.1/lib/rack/methodover
ride.rb:24
c:0033 p:0046 s:0187 b:0187 l:000186 d:000186 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dis
patch/middleware/params_parser.rb:21
c:0032 p:0054 s:0182 b:0182 l:000181 d:000181 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dis
patch/middleware/flash.rb:182
c:0031 p:0027 s:0175 b:0175 l:000174 d:000174 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dis
patch/middleware/session/abstract_store.rb:149
c:0030 p:0015 s:0164 b:0164 l:000163 d:000163 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dis
patch/middleware/cookies.rb:302
c:0029 p:0014 s:0156 b:0156 l:001120 d:000155 BLOCK
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activerecord-3.0.4/lib/active_re
cord/query_cache.rb:32
c:0028 p:0019 s:0154 b:0154 l:000153 d:000153 METHOD

/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activerecord-3.0.4/lib/active_record/connection_adapters/abstract/query_cache
c:0027 p:0051 s:0150 b:0150 l:000149 d:000149 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activerecord-3.0.4/lib/active_record/query_cache.rb:12
c:0026 p:0019 s:0146 b:0146 l:001120 d:001120 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activerecord-3.0.4/lib/active_record/query_cache.rb:31
c:0025 p:0015 s:0142 b:0142 l:000141 d:000141 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activerecord-3.0.4/lib/active_record/connection_adapters/abstract/connection_
c:0024 p:0029 s:0138 b:0138 l:0014f0 d:000137 BLOCK
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dispatch/middleware/callbacks.rb:46
c:0023 p:0155 s:0136 b:0136 l:000135 d:000135 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activesupport-3.0.4/lib/active_support/callbacks.rb:415
c:0022 p:0011 s:0126 b:0126 l:0014f0 d:0014f0 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dispatch/middleware/callbacks.rb:44
c:0021 p:0015 s:0122 b:0122 l:000121 d:000121 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rack-1.2.1/lib/rack/sendfile.rb:107
c:0020 p:0049 s:0112 b:0112 l:000111 d:000111 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dispatch/middleware/remote_ip.rb:48
c:0019 p:0017 s:0108 b:0108 l:000107 d:000107 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dispatch/middleware/show_exceptions.rb:47
c:0018 p:0027 s:0100 b:0100 l:000099 d:000099 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/railties-3.0.4/lib/rails/rack/logger.rb:13
c:0017 p:0032 s:0096 b:0096 l:000095 d:000095 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rack-1.2.1/lib/rack/runtime.rb:17
c:0016 p:0052 s:0087 b:0087 l:000086 d:000086 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activesupport-3.0.4/lib/active_support/cache/strategy/local_cache.rb:72
c:0015 p:0014 s:0083 b:0083 l:000077 d:000082 BLOCK
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rack-1.2.1/lib/rack/lock.rb:11
c:0014 p:0019 s:0081 b:0081 l:000080 d:000080 METHOD [internal:prelude](#):10
c:0013 p:0054 s:0078 b:0078 l:000077 d:000077 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rack-1.2.1/lib/rack/lock.rb:11
c:0012 p:0193 s:0073 b:0073 l:000072 d:000072 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dispatch/middleware/static.rb:30

c:0011 p:0032 s:0066 b:0066 l:000065 d:000065 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/railties-3.0.4/lib/rails/application.rb:168

c:0010 p:0021 s:0062 b:0062 l:000061 d:000061 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/railties-3.0.4/lib/rails/application.rb:77

c:0009 p:---- s:0057 b:0057 l:000056 d:000056 FINISH

c:0008 p:0015 s:0055 b:0055 l:000054 d:000054 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/railties-3.0.4/lib/rails/rack/logger.rb:14

c:0007 p:0015 s:0050 b:0050 l:000049 d:000049 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rack-1.2.1/lib/rack/content_length.rb:13

c:0006 p:0338 s:0042 b:0042 l:000041 d:000041 METHOD
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rack-1.2.1/lib/rack/handler/webrick.rb:52

c:0005 p:0257 s:0030 b:0030 l:000029 d:000029 METHOD
/Users/pgpkeys/.rvm/rubies/ruby-1.9.2-p180/lib/ruby/1.9.1/webrick/httpserver.rb:111

c:0004 p:0393 s:0020 b:0020 l:000019 d:000019 METHOD
/Users/pgpkeys/.rvm/rubies/ruby-1.9.2-p180/lib/ruby/1.9.1/webrick/httpserver.rb:70

c:0003 p:0126 s:0009 b:0009 l:001d88 d:000008 BLOCK
/Users/pgpkeys/.rvm/rubies/ruby-1.9.2-p180/lib/ruby/1.9.1/webrick/server.rb:183

c:0002 p:---- s:0004 b:0004 l:000003 d:000003 FINISH

c:0001 p:---- s:0002 b:0002 l:000001 d:000001 TOP

-- Ruby level backtrace information -----

/Users/pgpkeys/.rvm/rubies/ruby-1.9.2-p180/lib/ruby/1.9.1/webrick/server.rb:183:in block in start_thread'
/Users/pgpkeys/.rvm/rubies/ruby-1.9.2-p180/lib/ruby/1.9.1/webrick/httpserver.rb:70:in run'
/Users/pgpkeys/.rvm/rubies/ruby-1.9.2-p180/lib/ruby/1.9.1/webrick/httpserver.rb:111:in service'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rack-1.2.1/lib/rack/handler/webrick.rb:52:in service'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rack-1.2.1/lib/rack/content_length.rb:13:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/railties-3.0.4/lib/rails/rack/logger.rb:14:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/railties-3.0.4/lib/rails/application.rb:77:in method_missing'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/railties-3.0.4/lib/rails/application.rb:168:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dispatch/middleware/static.rb:30:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rack-1.2.1/lib/rack/lock.rb:11:in call'
[internal:prelude](#):10:in synchronize' /Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rack-1.2.1/lib/rack/lock.rb:11:in block in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activerecord-3.0.4/lib/active_support/cache/strategy/local_cache.rb:72:in call' /Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rack-1.2.1/lib/rack/runtime.rb:17:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/railties-3.0.4/lib/rails/rack/logger.rb:13:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dispatch/middleware/show_exceptions.rb:47:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dispatch/middleware/remote_ip.rb:48:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rack-1.2.1/lib/rack/sendfile.rb:107:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dispatch/middleware/callbacks.rb:44:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activerecord-3.0.4/lib/active_support/callbacks.rb:415:in _run_call_callbacks'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dispatch/middleware/callbacks.rb:46:in block in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activerecord-3.0.4/lib/active_record/connection_adapters/abstract/connection_pool.rb:354:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activerecord-3.0.4/lib/active_record/query_cache.rb:31:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activerecord-3.0.4/lib/active_record/query_cache.rb:12:in cache'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activerecord-3.0.4/lib/active_record/connection_adapters/abstract/query_cache.rb:28:in cache' /Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activerecord-3.0.4/lib/active_record/query_cache.rb:32:in

block in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dispatch/middleware/cookies.rb:302:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dispatch/middleware/session/abstract_store.rb:149:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dispatch/middleware/flash.rb:182:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dispatch/middleware/params_parser.rb:21:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rack-1.2.1/lib/rack/methodoverride.rb:24:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dispatch/middleware/head.rb:14:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dispatch/middleware/best_standards_support.rb:17:in call' /Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/warden-1.0.3/lib/warden/manager.rb:34:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/warden-1.0.3/lib/warden/manager.rb:34:in catch'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/warden-1.0.3/lib/warden/manager.rb:35:in block in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/haml-3.0.25/lib/sass/plugin/rack.rb:41:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dispatch/routing/route_set.rb:492:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rack-mount-0.6.13/lib/rack/mount/route_set.rb:139:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rack-mount-0.6.13/lib/rack/mount/code_generation.rb:92:in recognize'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rack-mount-0.6.13/lib/rack/mount/code_generation.rb:68:in optimized_each'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rack-mount-0.6.13/lib/rack/mount/code_generation.rb:93:in block in recognize'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rack-mount-0.6.13/lib/rack/mount/route_set.rb:148:in block in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dispatch/routing/mapper.rb:35:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dispatch/routing/route_set.rb:27:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dispatch/routing/route_set.rb:62:in dispatch'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_dispatch/routing/route_set.rb:62:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_controller/metal.rb:178:in block in action'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_controller/metal/rack_delegation.rb:14:in dispatch'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_controller/metal.rb:138:in dispatch'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/abstract_controller/rendering.rb:41:in process'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/abstract_controller/base.rb:119:in process'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_controller/metal/rescue.rb:17:in process_action'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_controller/metal/instrumentation.rb:29:in process_action'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activesupport-3.0.4/lib/active_support/notifications.rb:52:in instrument'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activesupport-3.0.4/lib/active_support/notifications/instrumenter.rb:21:in instrument'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activesupport-3.0.4/lib/active_support/notifications.rb:52:in block in instrument'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/action_controller/metal/instrumentation.rb:30:in block in process_action'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/actionpack-3.0.4/lib/abstract_controller/callbacks.rb:17:in process_action'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activesupport-3.0.4/lib/active_support/callbacks.rb:93:in run_callbacks'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activesupport-3.0.4/lib/active_support/callbacks.rb:409:in _run_process_action_callbacks'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/activesupport-3.0.4/lib/active_support/callbacks.rb:446:in _run__130069896162790148__process_action__3195822296267531215__callbacks'
/Users/pgpkeys/Projects/cca/app/controllers/application_controller.rb:9:in set_current_user'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/devise-1.1.7/lib/devise/controllers/helpers.rb:226:in current_user'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/warden-1.0.3/lib/warden/proxy.rb:90:in authenticate'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/warden-1.0.3/lib/warden/proxy.rb:271:in _perform_authentication'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/warden-1.0.3/lib/warden/proxy.rb:298:in _run_strategies_for'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/warden-1.0.3/lib/warden/proxy.rb:298:in each'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/warden-1.0.3/lib/warden/proxy.rb:303:in block in _run_strategies_for'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/warden-1.0.3/lib/warden/strategies/base.rb:53:in _run!
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/devise_rpx_connectable-0.2.2/lib/devise_rpx_connectable/strategy.rb:22:in authenticate!' /Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rpx_now-0.6.24/lib/rpx_now.rb:26:in user_data'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rpx_now-0.6.24/lib/rpx_now.rb:38:in auth_info'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rpx_now-0.6.24/lib/rpx_now/api.rb:19:in call'
/Users/pgpkeys/.rvm/gems/ruby-1.9.2-p180@cca/gems/rpx_now-0.6.24/lib/rpx_now/api.rb:34:in request'
/Users/pgpkeys/.rvm/rubies/ruby-1.9.2-p180/lib/ruby/1.9.1/net/http.rb:1168:in request'
/Users/pgpkeys/.rvm/rubies/ruby-1.9.2-p180/lib/ruby/1.9.1/net/http.rb:626:in start'
/Users/pgpkeys/.rvm/rubies/ruby-1.9.2-p180/lib/ruby/1.9.1/net/http.rb:637:in do_start'
/Users/pgpkeys/.rvm/rubies/ruby-1.9.2-p180/lib/ruby/1.9.1/net/http.rb:678:in connect'
/Users/pgpkeys/.rvm/rubies/ruby-1.9.2-p180/lib/ruby/1.9.1/timeout.rb:87:in timeout'
/Users/pgpkeys/.rvm/rubies/ruby-1.9.2-p180/lib/ruby/1.9.1/timeout.rb:44:in timeout'
/Users/pgpkeys/.rvm/rubies/ruby-1.9.2-p180/lib/ruby/1.9.1/net/http.rb:678:in block in connect'
/Users/pgpkeys/.rvm/rubies/ruby-1.9.2-p180/lib/ruby/1.9.1/net/http.rb:678:in `connect'

-- C level backtrace information -----

Related issues:

| | | |
|--|----------|------------|
| Related to Ruby - Bug #4844: RVM crash while running resque worker pool | Closed | 06/07/2011 |
| Has duplicate Ruby - Bug #4875: Segmentation fault in http.rb | Closed | 06/12/2011 |
| Has duplicate Ruby - Bug #4639: net http segmentation fault in ruby 1.9.2-hea... | Rejected | 05/02/2011 |

History

#1 - 04/26/2011 02:19 AM - deryldoucette (Deryl Doucette)

- File `ruby_2011-04-25-125500_pgpmbp.crash` added

=begin
This is the Ruby crashlog on Mac OS X 10.6.7 (on a 2011 Macbook Pro with quad core CPU and 8GB 1333MHz RAM in case you need that detail)
=end

#2 - 04/26/2011 02:40 AM - sorah (Sorah Fukumori)

- Status changed from Open to Feedback

=begin
could you attach a crash log in `~/Library/Logs/CrashReporter` ?

P.S.: I don't recommend paste in textbox because it makes difficult to read. so I recommend add log as attachment.
=end

#3 - 04/26/2011 02:41 AM - sorah (Sorah Fukumori)

- Status changed from Feedback to Open

=begin
oops, I missed your crashlog post. sorry.
=end

#4 - 04/26/2011 03:05 AM - deryldoucette (Deryl Doucette)

=begin
Shota Fukumori wrote:

could you attach a crash log in `~/Library/Logs/CrashReporter` ?

P.S.: I don't recommend paste in textbox because it makes difficult to read. so I recommend add log as attachment.

I have added `ruby-debug19` to the mix. would you like me to rerun and repost the output from *that*?
=end

#5 - 04/26/2011 03:06 AM - deryldoucette (Deryl Doucette)

=begin
Shota Fukumori wrote:

could you attach a crash log in `~/Library/Logs/CrashReporter` ?

P.S.: I don't recommend paste in textbox because it makes difficult to read. so I recommend add log as attachment.

Yeha I don't exactly like that either. I will start using `gist.github.com` and just post the link. Selecting Shell as the tet type makes it look fine.
=end

#6 - 05/31/2011 11:23 PM - PeterBell (Peter Bell)

Just some additional info. I have a very similar issue.

I've got a very simple OmniAuth install. I've registered the app with facebook and the login works fine. When Facebook runs it's callback and tries to pull up `localhost:3000/auth/facebook/callback`, I get a "page can't be displayed" in my browser and in the terminal window where I'm running "rails server" it crashes with a Ruby SegFault.

Here's the gist: <https://gist.github.com/1000515>

Bottom line:

Started GET "/auth/facebook" for 127.0.0.1 at 2011-05-31 09:32:48
-0400
/Users/peterbell/.rvm/rubies/ruby-1.9.2-p180/lib/ruby/1.9.1/net/
http.rb:678: [BUG] Segmentation fault
ruby 1.9.2p180 (2011-02-18 revision 30909) [x86_64-darwin10.7.0]

FWIW, this thread appears to be a related issue with a number of people posting that they're having a similar problem:
<https://gist.github.com/863523/f367dcad815fad8b77e3ff594bc377dff396ab1f>

And I can replicate that if I pull the postgres gem and replace it with SQLite, change the dev database setting to use SQLite and re-run bundle install, the segfault goes away.

Hope the additional information is of some help.

#7 - 06/15/2011 02:17 AM - ruanltbg (Ruan Carlos)

I have the same error here with rails 3.1-rc4.
This bug is in WEBrick server, i have installed the Thin server and it works.

```
gem install thin
```

Att

#8 - 06/26/2011 06:49 PM - naruse (Yui NARUSE)

- Status changed from Open to Assigned
- Assignee set to nahi (Hiroshi Nakamura)

#9 - 06/26/2011 07:03 PM - nahi (Hiroshi Nakamura)

- Target version set to 1.9.3

#10 - 06/27/2011 11:53 AM - nahi (Hiroshi Nakamura)

- ruby -v changed from ruby 1.9.2p180 (2011-02-18 revision 30909) [x86_64-darwin10.7.3] to -

Hi,

On Tue, Apr 26, 2011 at 02:40, Shota Fukumori sorah@tubusu.net wrote:

Issue [#4611](#) has been updated by Shota Fukumori.

could you attach a crash log in ~/Library/Logs/CrashReporter ?

Shota, do you mind helping us to add above notification to crash log reporter of CRuby if it runs on OS X? Lack of C level backtrace information makes us hard to find the culprit.

Regards,
// NaHi

#11 - 06/27/2011 04:53 PM - nahi (Hiroshi Nakamura)

On Mon, Jun 27, 2011 at 11:32, Hiroshi Nakamura nakahiro@gmail.com wrote:

could you attach a crash log in ~/Library/Logs/CrashReporter ?

Shota, do you mind helping us to add above notification to crash log reporter of CRuby if it runs on OS X? Lack of C level backtrace information makes us hard to find the culprit.

My bad. We already have it. (r29949)

Regards,
// NaHi

#12 - 07/13/2011 05:21 PM - nahi (Hiroshi Nakamura)

- Status changed from Assigned to Feedback

Deryl, Peter, I think it's related OpenSSL version conflict. Please see [#4875](#) and <https://gist.github.com/863523/f367dcad815fad8b77e3ff594bc377dff396ab1f#gistcomment-36686>

Would you please make sure you're using same OpenSSL libraries for every gem you're using?

#13 - 07/14/2011 10:38 PM - Fallen_Zen (Piotr Panasewicz)

Hiroshi Nakamura wrote:

Deryl, Peter, I think it's related OpenSSL version conflict. Please see [#4875](#) and <https://gist.github.com/863523/f367dcad815fad8b77e3ff594bc377dff396ab1f#gistcomment-36686>

Would you please make sure you're using same OpenSSL libraries for every gem you're using?

And how can I do that? Having similar issue:

```
Fallens-MacBook-Pro:trunk Fallen$ stalk config/jobs.rb
Working 3 jobs: [ email.process email.send.answer user.fetch ]
Working email.process (file=/Users/Fallen/Sites/support-app/trunk/tmp/mail_queue/E432812B-6294-4DAC-9491-74DB6983F4DD@me.com.eml)
Finished email.process in 4520ms
Working user.fetch (email_address=*****@me.com ticket_id=1 delay=10)
Looking for user by email: *****@me.com
/usr/local/lib/ruby/1.9.1/net/http.rb:678: [BUG] Segmentation fault
ruby 1.9.2p180 (2011-02-18 revision 30909) [x86_64-darwin10.8.0]
```

-- control frame -----

```
c:0033 p:---- s:0182 b:0182 l:000181 d:000181 CFUNC :connect
c:0032 p:0011 s:0179 b:0179 l:002640 d:000178 BLOCK
/usr/local/lib/ruby/1.9.1/net/http.rb:678
c:0031 p:0031 s:0177 b:0177 l:000176 d:000176 METHOD
/usr/local/lib/ruby/1.9.1/timeout.rb:44
c:0030 p:0026 s:0165 b:0165 l:000164 d:000164 METHOD
/usr/local/lib/ruby/1.9.1/timeout.rb:87
c:0029 p:0444 s:0159 b:0159 l:002640 d:002640 METHOD
/usr/local/lib/ruby/1.9.1/net/http.rb:678
c:0028 p:0011 s:0151 b:0151 l:000150 d:000150 METHOD
/usr/local/lib/ruby/1.9.1/net/http.rb:637
c:0027 p:0048 s:0148 b:0148 l:000147 d:000147 METHOD
/usr/local/lib/ruby/1.9.1/net/http.rb:626
c:0026 p:0646 s:0145 b:0145 l:000144 d:000144 METHOD
/usr/local/lib/ruby/1.9.1/open-uri.rb:306
c:0025 p:0024 s:0125 b:0125 l:000124 d:000124 METHOD
/usr/local/lib/ruby/1.9.1/open-uri.rb:769
c:0024 p:0047 s:0119 b:0119 l:001ef0 d:000118 BLOCK
/usr/local/lib/ruby/1.9.1/open-uri.rb:203
c:0023 p:---- s:0117 b:0117 l:000116 d:000116 FINISH
c:0022 p:---- s:0115 b:0115 l:000114 d:000114 CFUNC :catch
c:0021 p:0491 s:0111 b:0111 l:001ef0 d:001ef0 METHOD
/usr/local/lib/ruby/1.9.1/open-uri.rb:201
c:0020 p:0328 s:0097 b:0097 l:000096 d:000096 METHOD
/usr/local/lib/ruby/1.9.1/open-uri.rb:146
c:0019 p:0022 s:0086 b:0086 l:000085 d:000085 METHOD
/usr/local/lib/ruby/1.9.1/open-uri.rb:671
c:0018 p:0096 s:0081 b:0081 l:000080 d:000080 METHOD
/usr/local/lib/ruby/1.9.1/open-uri.rb:33
```

```
c:0017 p:0151 s:0074 b:0074 l:000073 d:000073 METHOD
/Users/Fallen/Sites/support-app/trunk/app/models/user.rb:45
c:0016 p:0024 s:0062 b:0062 l:0010d8 d:000061 BLOCK
/Users/Fallen/Sites/support-app/trunk/config/jobs.rb:37
c:0015 p:---- s:0057 b:0057 l:000056 d:000056 FINISH
c:0014 p:---- s:0055 b:0055 l:000054 d:000054 CFUNC :call
c:0013 p:0049 s:0051 b:0051 l:001ec0 d:000050 BLOCK
/usr/local/lib/ruby/gems/1.9.1/gems/stalker-0.9.0/lib/stalker.rb:83
c:0012 p:0109 s:0049 b:0049 l:000390 d:000390 METHOD
/usr/local/lib/ruby/1.9.1/timeout.rb:57
c:0011 p:0125 s:0037 b:0037 l:001ec0 d:001ec0 METHOD
/usr/local/lib/ruby/gems/1.9.1/gems/stalker-0.9.0/lib/stalker.rb:77
c:0010 p:0009 s:0029 b:0029 l:000021 d:000028 BLOCK
/usr/local/lib/ruby/gems/1.9.1/gems/stalker-0.9.0/lib/stalker.rb:64
c:0009 p:---- s:0027 b:0027 l:000026 d:000026 FINISH
c:0008 p:---- s:0025 b:0025 l:000024 d:000024 CFUNC :loop
c:0007 p:0026 s:0022 b:0022 l:000021 d:000021 METHOD
/usr/local/lib/ruby/gems/1.9.1/gems/stalker-0.9.0/lib/stalker.rb:64
c:0006 p:0205 s:0018 b:0018 l:000370 d:000370 TOP
/usr/local/lib/ruby/gems/1.9.1/gems/stalker-0.9.0/bin/stalk:21
c:0005 p:---- s:0013 b:0013 l:000012 d:000012 FINISH
c:0004 p:---- s:0011 b:0011 l:000010 d:000010 CFUNC :load
c:0003 p:0127 s:0007 b:0007 l:0017a8 d:000e00 EVAL /opt/local/bin/stalk:19
c:0002 p:---- s:0004 b:0004 l:000003 d:000003 FINISH
c:0001 p:0000 s:0002 b:0002 l:0017a8 d:0017a8 TOP
```

-- Ruby level backtrace information -----

```
/opt/local/bin/stalk:19:in <main>' /opt/local/bin/stalk:19:in load'
/usr/local/lib/ruby/gems/1.9.1/gems/stalker-0.9.0/bin/stalk:21:in <top (required)>' /usr/local/lib/ruby/gems/1.9.1/gems/stalker-0.9.0/lib/stalker.rb:64:in
work'
/usr/local/lib/ruby/gems/1.9.1/gems/stalker-0.9.0/lib/stalker.rb:64:in loop' /usr/local/lib/ruby/gems/1.9.1/gems/stalker-0.9.0/lib/stalker.rb:64:in block in
work'
/usr/local/lib/ruby/gems/1.9.1/gems/stalker-0.9.0/lib/stalker.rb:77:in work_one_job' /usr/local/lib/ruby/1.9.1/timeout.rb:57:in timeout'
/usr/local/lib/ruby/gems/1.9.1/gems/stalker-0.9.0/lib/stalker.rb:83:in block in work_one_job'
/usr/local/lib/ruby/gems/1.9.1/gems/stalker-0.9.0/lib/stalker.rb:83:in call'
/Users/Fallen/Sites/support-app/trunk/config/jobs.rb:37:in block in <top (required)>' /Users/Fallen/Sites/support-app/trunk/app/models/user.rb:45:in
fetch'
/usr/local/lib/ruby/1.9.1/open-uri.rb:33:in open' /usr/local/lib/ruby/1.9.1/open-uri.rb:671:in open'
/usr/local/lib/ruby/1.9.1/open-uri.rb:146:in open_uri' /usr/local/lib/ruby/1.9.1/open-uri.rb:201:in open_loop'
/usr/local/lib/ruby/1.9.1/open-uri.rb:201:in catch' /usr/local/lib/ruby/1.9.1/open-uri.rb:203:in block in open_loop'
/usr/local/lib/ruby/1.9.1/open-uri.rb:769:in buffer_open' /usr/local/lib/ruby/1.9.1/open-uri.rb:306:in open_http'
/usr/local/lib/ruby/1.9.1/net/http.rb:626:in start' /usr/local/lib/ruby/1.9.1/net/http.rb:637:in do_start'
/usr/local/lib/ruby/1.9.1/net/http.rb:678:in connect' /usr/local/lib/ruby/1.9.1/timeout.rb:87:in timeout'
/usr/local/lib/ruby/1.9.1/timeout.rb:44:in timeout' /usr/local/lib/ruby/1.9.1/net/http.rb:678:in block in connect'
/usr/local/lib/ruby/1.9.1/net/http.rb:678:in `connect'
```

-- C level backtrace information -----

[NOTE]

You may have encountered a bug in the Ruby interpreter or extension libraries.

Bug reports are welcome.

For details: <http://www.ruby-lang.org/bugreport.html>

Abort trap

```
Fallens-MacBook-Pro:mysql2 Fallen$ otool -L /opt/local/lib/ruby1.9/gems/1.9.1/gems/mysql2-0.2.11/lib/mysql2/mysql2.bundle
/opt/local/lib/ruby1.9/gems/1.9.1/gems/mysql2-0.2.11/lib/mysql2/mysql2.bundle:
/opt/local/lib/libruby.1.9.1.dylib (compatibility version 1.9.1, current version 1.9.1)
/opt/local/lib/mysql5/mysql/libmysqlclient_r.16.dylib (compatibility version 17.0.0, current version 17.0.0)
/opt/local/lib/libz.1.dylib (compatibility version 1.0.0, current version 1.2.5)
/usr/lib/libSystem.B.dylib (compatibility version 1.0.0, current version 125.2.11)
/opt/local/lib/libssl.1.0.0.dylib (compatibility version 1.0.0, current version 1.0.0)
/opt/local/lib/libcrypto.1.0.0.dylib (compatibility version 1.0.0, current version 1.0.0)
```

/usr/lib/libobjc.A.dylib (compatibility version 1.0.0, current version 227.0.0)
Fallens-MacBook-Pro:mysql2 Fallen\$ otool -L /usr/local/lib/ruby/1.9.1/x86_64-darwin10.8.0/openssl.bundle
/usr/local/lib/ruby/1.9.1/x86_64-darwin10.8.0/openssl.bundle:
/usr/local/lib/libruby.1.9.1.dylib (compatibility version 1.9.1, current version 1.9.1)
/usr/lib/libssl.0.9.8.dylib (compatibility version 0.9.8, current version 0.9.8)
/usr/lib/libcrypto.0.9.8.dylib (compatibility version 0.9.8, current version 0.9.8)
/usr/lib/libSystem.B.dylib (compatibility version 1.0.0, current version 125.2.11)
/usr/lib/libobjc.A.dylib (compatibility version 1.0.0, current version 227.0.0)

#14 - 07/15/2011 01:34 PM - nahi (Hiroshi Nakamura)

Piotr, thanks for feedback. Nice, it includes both OpenSSL 0.9.8 (from ruby) and 1.0.0 (from mysql).

Please try to compile your ruby (/usr/local/bin/ruby) with OpenSSL 1.0.0. I don't know much about Mac OS X but giving
'--with-openssl-include=/path/to/ssl/include --with-openssl-lib=/path/to/ssl/lib' to configure works normally.

It could be '--with-openssl-include=/path/to/ssl/include --with-openssl-lib=/path/to/ssl/lib64' for 64bit box but anyway it depends on the system you're using.

#15 - 02/26/2013 10:19 AM - naruse (Yui NARUSE)

- Target version changed from 1.9.3 to 2.6

#16 - 12/25/2017 06:14 PM - naruse (Yui NARUSE)

- Target version deleted (2.6)

#17 - 07/15/2019 07:31 PM - jeremyevans0 (Jeremy Evans)

- Status changed from Feedback to Closed

Files

| | | | |
|-------------------------------------|---------|------------|--------------------------------|
| ruby_2011-04-25-125500_pgpmbp.crash | 18.5 KB | 04/26/2011 | deryldoucette (Deryl Doucette) |
|-------------------------------------|---------|------------|--------------------------------|