

Ruby - Bug #4815

RubyGems test failed

06/02/2011 12:04 PM - naruse (Yui NARUSE)

Status:	Closed	Backport:
Priority:	Normal	
Assignee:	zenspider (Ryan Davis)	
Target version:		
ruby -v:	ruby 1.9.3dev (2011-06-02 trunk 31900) [x86_64-freebsd8.2]	
Description		
Following tests are failed. This is because \$LOAD_PATH includes the current directory which test-all is running, and top source directory of ruby has the directory named "missing". So test_execute_one_missing and test_execute_missing, they check the absence of "missing" directory, are failed. 1. Failure: <pre>test_execute_one_missing(TestGemCommandsWhichCommand) [/usr/home/chkbuild/build/ruby-trunk/20110602T010101Z/ruby/test/rubygems/test_gem_commands_which_command.rb:42]: --- expected +++ actual @@ -1,2 +1,3 @@ "/usr/home/chkbuild/build/ruby-trunk/20110602T010101Z/tmp/test_rubygems_93491/gemhome/gems/foo_bar-2/lib/foo_bar.rb +/usr/home/chkbuild/build/ruby-trunk/20110602T010101Z/ruby/missing "</pre> 2. Failure: <pre>test_execute_missing(TestGemCommandsWhichCommand) [/usr/home/chkbuild/build/ruby-trunk/20110602T010101Z/ruby/test/rubygems/test_gem_commands_which_command.rb:51]: Gem::MockGemUi::TermError expected but nothing was raised.</pre>		

Associated revisions

Revision 1de2e1fd - 06/03/2011 07:09 PM - naruse (Yui NARUSE)

- test/rubygems/test_gem_commands_which_command.rb:
"missing" exists on ruby's top source directory. [Bug #4815]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@31915 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

History

#1 - 06/04/2011 04:10 AM - naruse (Yui NARUSE)

- Status changed from Assigned to Closed
- % Done changed from 0 to 100

This issue was solved with changeset r31915.
Yui, thank you for reporting this issue.
Your contribution to Ruby is greatly appreciated.
May Ruby be with you.

- test/rubygems/test_gem_commands_which_command.rb:
"missing" exists on ruby's top source directory. [Bug [#4815](#)]